CORRECTION Open Access



Correction to: Morbidity and mortality outcomes of COVID-19 patients with and without hypertension in Lagos, Nigeria: a retrospective cohort study

Akin Abayomi¹, Akin Osibogun^{2,3*}, Oluchi Kanma-Okafor², Jide Idris¹, Abimbola Bowale⁴, Ololade Wright⁵, Bisola Adebayo⁵, Mobolanle Balogun², Segun Ogboye¹, Remi Adeseun¹, Ismael Abdus-Salam¹, Bamidele Mutiu⁶, Babatunde Saka⁶, Dayo Lajide¹, Sam Yenyi⁷, Rotimi Agbolagorite¹, Oluwatosin Onasanya³, Eniola Erinosho³, Joshua Obasanya⁸, Olu Adejumo⁴, Sunday Adesola⁴, Yewande Oshodi², Iorhen E. Akase⁹, Shina Ogunbiyi⁴, Adenike Omosun¹, Femi Erinoso¹⁰, Hussein Abdur-Razzaq¹, Nike Osa¹ and Kingsley Akinroye¹¹

Correction to: Global Health Research and Policy (2021) 6:26 https://doi.org/10.1186/s41256-021-00210-6

Following publication of the original article [1], it is reported the second paragraph of the introduction includes some errors, as is indicated below.

The original first sentence was:

Much earlier in a study in China, where COVID-19 was initially identified, it was found that 48% of patients had a comorbidity, with hypertension being the most prevalent

(30%), followed by diabetes (19%) and coronary heart disease (8%) [7].

The correct first sentence should be:

Much earlier in a study in China, where the COVID-19 was first reported, it was found that 48% of patients had a comorbidity, with hypertension being the most prevalent (30%), followed by diabetes (19%) and coronary heart disease (8%) [7].

The original article [1] has been updated.

The original article can be found online at https://doi.org/10.1186/s41256-021-00210-6.

² College of Medicine, University of Lagos, Idi-Araba, Lagos, Nigeria Full list of author information is available at the end of the article



© The Author(s) 2021. **Open Access** This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article's Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article's Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit http://creativecommons.org/licenses/by/40/.

^{*}Correspondence: akinosibogun@yahoo.co.uk

Author details

¹Lagos State Ministry of Health/Lagos Incident Management Command System, Lagos, Nigeria. ²College of Medicine, University of Lagos, Idi-Araba, Lagos, Nigeria. ³Lagos State Primary Health Care Board, Lagos, Nigeria. ⁴Mainland Hospital, Yaba, Lagos, Nigeria. ⁵Lagos State University College of Medicine, Lagos, Nigeria. ⁶Lagos State Biobank, Lagos, Nigeria. ⁷World Health Organization, Nigeria Office, Abuja, Nigeria. ⁸Nigeria Centre for Disease Control, Abuja, Nigeria. ⁹Lagos University Teaching Hospital, Lagos, Nigeria. ¹⁰Lagos State University Teaching Hospital, Lagos, Nigeria. ¹¹Nigerian Heart Foundation, Lagos, Nigeria.

Published online: 13 August 2021

Reference

 Abayomi A, Osibogun A, Kanma-Okafor O, et al. Morbidity and mortality outcomes of COVID-19 patients with and without hypertension in Lagos, Nigeria: a retrospective cohort study. Glob Health Res Policy. 2021;6:26. https://doi.org/10.1186/s41256-021-00210-6.